

the county Surveyor of Monroe county or his deputy, to run and establish all the lines and corners necessary to be established in Section 9 T 8 N, R. 1, E. commencing at the S W corner, at 10 o'clock A.M. of said day. All parties interested are requested to be present at said time and place, else the Survey will proceed in their absence. Survey to continue from day to day until completed  
March the 7<sup>th</sup> 77

Pleasant Moberley


April the 27<sup>th</sup> 1877

Surveyed in Section 23 T 9 R 1 East for George W Lamphino, heirs of Adam Stephens and heirs of Isaac Bottinghouse commenced at the N  $\frac{1}{2}$  m. p. of said Section and ran west 84 $\frac{1}{2}$ ° 159 Poles & 12 links to N W corner of said Section then commenced on Section line between Sections 14 & 15, <sup>80. Poles North section corner</sup> and ran S 5° E with said Section line until lines crossed, established corner and set stone witness by Hackory 6 S 61° E 16 poles & N 11 W 31. Also ran from thence S 5° E 160 Poles to Western  $\frac{1}{2}$  m p, The above Survey was done by the consent of the parties interested,

Lewis Mosier & James Bottinghouse } Chairman sworn

Geo. W. Lamphino } flagman sworn

M. H. Buskirk  
M. C. S.



Survey of Section 19 T 8 N R 1 E for Simeon May, John K Anderson Wm Baxter David Shields, R C Foster and others, on Dec the 17<sup>th</sup> 18<sup>th</sup> 21<sup>st</sup> & 22<sup>nd</sup> 1877 ran all round the section and divided it up and established corners as per plat and field notes A sand stone witness by white oak 10886 85 $\frac{1}{2}$  ft back 24 N 13 E 77 ft gum 1328711 W 56 ft



April the 2nd 1878


Ran the western section line of section 23 T 9 R 1 E for George Lampkins and James Boltinghouse Established the western  $\frac{1}{2}$  m. p. Set Stone witnessed by Hickory  $N 58^{\circ} W 43$  lks White oak 18 in  $S 2^{\circ} E 57$  Also established corner halfway between  $W \frac{1}{2}$  m p and NW corner Set Stone witnessed by red oak 8  $N 48^{\circ} W 30$  lks R. oak 6  $N 76^{\circ} W 14$  lks distant

George Lampkins } chain bearers

James Boltinghouse } sworn

App. Richeson } flagman sworn

M. H. Buskirk, M. C. S.



April 3rd and 4th 1878

Surveyed in sections 28 & 29. Town 10 Range 1 East for Wm. Curry, Mrs. Johnson, Charles Bates and there and established the following corners reference being had to plat and letters accompanying A corner at half distance between NW corner and  $N \frac{1}{2}$  m p of Sec 28. T 10

Range 1 East witness trees Elm 6  $S 6^{\circ} W 1$  lk

White walnut 8  $N 64^{\circ} E 36$  lks

B. cor half distance between  $N \frac{1}{2}$  m p and NE cor of 29 T 10 R 1 East

Witness trees Wild cherry 15  $S 31 \frac{1}{2}^{\circ} E 114 \frac{1}{2}$  Mulberry 6  $S 80 \frac{1}{2}^{\circ} W 114 \frac{1}{2}$  lks

C S W cor of NE qr of N E qr Sec 29 wit trees White oak 6  $S 80 \frac{1}{2}^{\circ} E 27 \frac{1}{2}$  lks

" " White oak 12  $N 25^{\circ} W 65$  "

D S W cor of S E qr of N E qr Sec 29 wit trees red oak 9  $N 19^{\circ} W 16$  "

" " Gum 10  $S 15^{\circ} E 46$  "

E S E cor of NW qr of NW qr Sec 28 wit trees hick 24 in  $S 6 \frac{1}{2}^{\circ} W 16 \frac{1}{2}$  lks

" " White oak 5  $S 5^{\circ} W 28$  "

" " Dogwood 3  $N 22^{\circ} E 2$  "

The parties to the above Survey were given 10 days written notice and were also present and consented to said survey During said Survey W. C. Black, Charles Bates, Yaddock Pelly, and Robert Hendrickson were sworn as chain bearers and Thomas Grubel and Thomas McGinnis were sworn as flagman

M. H. Buskirk, M. C. S.



Nov 22<sup>nd</sup> 1879


Surveyed the following tract of land for  
 C. A. Junkin and James Junkin in Sec No 10  
 Town 9 North, Range 1 West and bounded as  
 follows "To wit". Beginning at the South East corner  
 of the South west quarter of said section thence  
 west with the Sec line (120) one hundred and twenty  
 poles to a stake in the Martinsville State road  
 Thence North with said Road (20) poles and (15) links to  
 a stake standing in the road thence East  
 (116) poles to a stake thence South (20) poles  
 to the place of beginning. containing 14 acres  
 and  $\frac{3}{4}$  of an acre

John S. Brown) chain Bearers)  
 David Junkin)  
 C. A. Junkin & Flagman } by Consent of Parties

Geo W. Darnay  
 N. C. S.

December the 4<sup>th</sup> & 5<sup>th</sup> 1879

Surveyed in Sec 23. T 9 N. R 1 East for  
 George Hash and others and established corners  
 as per plat and field notes below.



S. W. corner of  $6\frac{1}{2}$  of N. W quarter  
 A { Red Oak 73 51' 6 25 lks  
 Hickory 93 39' W 20 1/2"

center of Section  
 B { Red Oak 6 N 89' W 16 1/2 lks  
 White Oak 20 S 41 1/2' W 33 "

Corner 60 poles 24 lks North of S. E. M. P.  
 C { White Oak 83 40 W distance omitted  
 Black Oak 24 N 86 E 17 lks

Corner 60 poles north of S. E. Sec. corner  
 D { Black Oak 7 N 17' 6 21 1/4 lks  
 Do 6 N 34' W 10 1/2



The above Survey was done in compliance with the following notice which was published three weeks previous to the commencement of said Survey in the "Republican Progress" a newspaper published in Bloomington, Monroe County Indiana.

**Notice of Survey.**  
 NOTICE is hereby given to all non-residents and others interested, that I will proceed, on  
 Thursday, December 4th, 1879,  
 together with the County Surveyor or his Deputy, to run and establish all the lines and corners necessary to be established in section 23, town 9, range 1 east. Survey to commence at 10 o'clock A. M. of said day. All parties interested are requested to be present at the said time and place, else the survey will proceed in their absence. Survey to continue from day to day until completed.  
 GEORGE HASH,  
 Nov. 12, 1879.

During the above Survey the following persons were sworn

George Lambkins  
 James Lambkins } Carriers  
 Geo R Hash

George Hash } flagman  
 M. H. Buskirk  
 D. S. M. C.

Dec the 8<sup>th</sup>, 9<sup>th</sup>, 10<sup>th</sup> and 11<sup>th</sup>. 1879


Surveyed in Section 2 T. 8. N. R. 1. E. for the heirs of Richard Drake deceased and others and established corners as per plat and field below





Oct 7<sup>th</sup> 1903 Sect 23. T. 9 R. 1 E

By agreement of all parties interested I met at J. E. Ford and made the following survey in section 23 Town (9) Range (1) east on above date as shown in plat and field notes below



perpetuated the  $\frac{1}{2}$  distance between the center and the west  $\frac{1}{2}$  mile post witnessed by  
 E { R. oak 11 in N.  $35^{\circ}$  W  $3\frac{3}{4}$  lks  
 W. oak 6 " S  $12^{\circ}$  E 15 " established the  $\frac{1}{2}$  dis. between the north  $\frac{1}{2}$  mi. p. and the N. W. corner  
 I { dogwood 6 in N  $65^{\circ}$  E  $8\frac{1}{2}$  lks  
 ash 2 " N  $72^{\circ}$  W  $5\frac{1}{2}$  " W. oak 2  $\frac{1}{2}$  S  $23\frac{1}{2}$  E 15 "

I had for assistants Jasper Mc Coy, James E. Ford chain markers, Joseph Stephens flag bearer first day Joel Mc Coy second day all duly sworn

I hereby certify the foregoing to be a true and correct report of survey made by me on above date.

In witness where of I attach my hand and seal

C. M. Bowers